OMEGA <mark>PRO</mark>

SI

3

(6

PROFESSIONAL GRADE TOOLS

omega



95 <mark>Piece 1/4" & 9/0"</mark> Drive Metric Socket Set

- 95 Piece Socket Set
- Includes 1/4" and 3/8" drive both standard and deep sockets
- Ergonomically designed ratchets and extension bars
- Also includes 16 multi bits
- Comes in a heavy duty blow molded case

- Content ¼" Dr. :
- 12-pc 6pt Sockets :
- 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, and 13 mm
- 8-pc 6pt Deep Sockets :
- 6, 7, 8, 9, 10, 11, 12, and 13 mm
- 2-pc 50mm & 150mm Extension Bars
- 1-pc Universal Joint
- 1-pc Bit Adapter
- 1-pc Spinner Handle
- 1-pc Quick Release Ratchet
- 1-pc Reducer Adapter 3/8"F 1/4"M
- 16 Bits :
- 2-pc Philips : #1 and #2
- 02-pc Pozi : #1 and #2
 - 2-pc Slotted : 4 and 5.5mm
 - 6-pc Torx Tamperproof : T10, T15, T20, T25, T27, and T30
 - 4-pc Hex : 3, 4, 5, and 6mm

- Content 3/8" Dr. :
- 17-pc 6pt Sockets :
- 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, and 22mm
- 5-pc 6pt Deep Sockets :
- 10, 12, 13, 15, and 17mm
- 2-pc 75 and 150mm Extension Bars
- 2-pc 6pt Spark plug Sockets : 16 and 21mm
- 1-pc Universal Joint
- 1-pc Quick Release Ratchet
 - 1-pc Reducer Adapter 1/2"F 3/8"M
- 23pc-3/8" Dr. Bit Sockets :
- 3-pc Philips : #1, #2, and #3 2-pc Pozi : #1 and #2
- - 2-pc Slotted : 5.5 and 6.5mm
 - 9-pc Torx Tamperproof : T10, T15, T20, T25, T30, T40, T45, T50, and T55
 - 7-pc Hex: 3, 4, 5, 6, 7, 8, and 10mm

OMEGA PRO

 \cap

34 Piece 1/2" Drive Flexible ratchet with go through sockets

- Unique ratchet with flexible ends •
- GO Through Sockets allows access where deep sockets can't be used
- Multi use for home or automobile
- Includes heavy duty case for easy organization

Contains:

- 1PC-Flexible Ratchet off Beam 75° Box End GO-Through Wrench
- 1PC-1/4"DR. Bit Adapter
- 1PC-1/4"DR. Socket Adapter 1PC-13mm*75mm(L) GO-Through
- Extension bar 10PCS-GO Through Socket(mm
- size):
- 5, 6, 7, 8, 9, 10, 11, 12, 13, and 14mm Bits size:
- TORX BIT: 10, 15, 20, 25, 27, 30, and 40
- HEX BIT: 2, 3, 4, 5, and 6 O۰
 - SLOTTED BIT: 3, 4, 5, and 6
- PHILLIPS BIT: 0, 1, 2, and 3 Ô

83030 17 PIECE 1/2" Dilive het with go through ockeis

- Unique ratchet with flexible ends
- GO Through Sockets allows access where deep sockets can't be used
- Multi use for home or automobile

7 Piece 1/2" drive Sinvel

- Includes heavy duty case for easy organization
 - Contains:
 - 1PC-Flexible Ratchet off Beam 75° Box End GO-Through Wrench
 - 1PC-20mm*75mm(L) GO-Through Extension Bar
 - 1PC-20mm*1/4" Socket Adapter
 - 1PC-20mm*3/8" Socket Adapter

83020

83021

PIECE 1/2" Drive 67

- 6 point swivel fractional impact sockets with 1/2" drive
- Ideal for the professional user, can be used with impact drivers
- Made from chrome molybdenum steel for strength and durability with large
 - engraved markings
 - Knurled and anodized collar for easy identification and a non slip grip

Contains:

- 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm, and 22 mm
- Blow Molded Storage Case

0

- 1PC-20mm*1/2" Socket Adapter
- 12PCS-GO Through Socket:

Contains:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, and 19mm

1/2", 9/16", 5/8", 11/16", 3/4". 13/16". and 7/8"

Blow Molded Storage Case

OMEGA PRO





- Protect your expensive mag wheels with coated 6 point deep impact sockets
- Durable color coated outer sleeve and insert to prevent scratching
- Includes 17mm, 19mm and 21mm sockets
- Combine these with our torque limiting extensions and 1/2" torque wrench

83002

SPC 1/2" DRIVE SAE COATED IMPACT SOCKET SET

- Protect your expensive mag wheels with coated 6 point deep impact sockets
- Durable color coated outer sleeve and insert to prevent scratching
- Includes 3/4", 13/16" and 7/8"
- Combine these with our torque limiting extensions and 1/2" torque wrench

83003

BPC 1/2" DRIVE COATED IMPACT SOCKET SET

- Protect your expensive mag wheels with coated 6 point deep impact sockets
- Durable color coated outer sleeve and insert to prevent scratching
- Includes both metric and SAE sizes
- Combine these with our torque limiting extensions and 1/2" torque wrench
- Contain:1 each: 17mm, 19mm, 21mm, 13/16", 7/8", 15/16", 1", and 1-1/16"
- Blow molded storage case

83032

- 8 PC 9/9" Drive Deep Impact Socket Set (Metric)
 - Made of Chrome Molybdenum steel for professional use
 - 6 pt. socket to limit slipping and provide extra torque
 - Capable of withstanding heavy duty and daily use
 - Finish resists rust and clearly marked for easy identification
- Heavy duty blow molded storage case included

omega <mark>PRO</mark>

RO







97431 HEAVY DUTY TOOL CART

- Locking tool box with sliding top
- Unique design allows the top to be used as a work bench
- 2 drawers and 1 base shelve for tool storage
- Maneuvers easily around the shop or work area

83008

5 Piece 1/2" Drive Torque Limiting Impact <u>extension set</u>

- 7³/₄" long torgue limiting extensions made from flexible spring steel
- Stops turning when the required torque has been reached
- Set contains most popular sizes and torque ratings

Contains 1 of each:

- 65 Torque FT/Lbs.- Yellow
- 80 Torque FT/Lbs.- Blue
- 140 Torque FT/Lbs.- Aqua
- 100 Torque FT/Lbs.- Grey
- 120 Torque FT/Lbs.- White Blow molded storage case


83009

10 PIECE 1/2" DRIVE TORQUE LIMITING Socket Set

- Helps apply torque to the correct tolerances
- Prevents over-tightening of wheel lug nuts, distortion of wheels, drums and rotors
- Works with any 1/2" drive impact wrench
- Color coded and engraved with torque range for quick reference

Contains 1 of each:

- HEX size 17 mm; 55 Torque FT/Lbs.- Green
- HEX size 17 mm; 80 Torque FT/Lbs.- Red
- HEX size 19 mm (3/4"); 65 Torque FT/Lbs.- Yellow
- HEX size 19 mm (3/4"); 80 Torque FT/Lbs.- Blue
- HEX size 19 mm (3/4"); 100 Torque FT/Lbs.- Grey
- HEX size 13/16"; 100 Torque FT/Lbs.- Brown
- HEX size 21 mm; 80 Torque FT/Lbs.- Light Brown
- HEX size 22 mm (7/8"); 120 Torque FT/Lbs.- White
- HEX size 22 mm (7/8"); 140 Torque FT/Lbs.- Aqua
- HEX size 24 mm (15/16"); 140 Torque FT/Lbs.- Light Green
- Blow molded storage case





1/2° Drive Adjustable Torque Wrench 30-250 FT-LBS

- Reversible 1/2" drive click type torque wrench
- Easily adjustable with a torque range of 30-250 ft.-lbs.
- Combine this with our coated sockets for a
- complete wheel fastener solution
- Includes heavy duty blow molded case

83010



• Convert your breaker bar or T-handle into a ratchet.

PAT.

 ½" drive with reverse and lock feature.

83011

1/2ª drive 24ª Long Ratcheting Breaker bar

- Reverse and locking ratchet feature
- 24" long for added strength and torque
- Made of chrome vanadium steel.

<u>1/2" DRIVE 24" HD</u>

EAKER DAR

83005

- 1/2" drive 24" long breaker bar
- Made of Chrome Vanadium steel
- One piece steel bar for superior strength.

OMEGA PRO

Heavy Duty 3/4" Drive : Torque Wrench

- 3/4" Drive, 49" long for maximum torque
- Torque range 74 ft-lbs to 737 ft-lbs
- Easy to read LED display with warning buzzer
- Convenient reversible ratchet drive

83012

5 piece 1/2° drive Preset torque Wrench set

- These color coded click torque wrenches are pre-set to the most common settings
- No need for adjustments

OMEGA PRO

• Quick release ratchet head

Contains:

- 1 each: 65, 80, 100, 120, and 140 ft-lb
- Blow molded storage case

83017

1/2" DRIVE DIGITAL TORQUE RATCHET

83018

of drive dicital concurrence of the second s

- Non slip grip
- Reversible ratchet
- Suitable for domestic and import automobiles





OMEGA PRO

7

www.omegalift.com

OMEGA

PRO

0

OMEGA

82001

1/2° drive mini Lightweight Air impact wrench

- Twin hammer design
- 1/4" Air Inlet
- Max Torque 500 ft-lbs
- Pistol grip design for control and comfort
- Power to weight ratio for the toughest jobs

Recommend Omega Pro Socket set: 83001, 83002, 83003, 83006, 83008, 83009, and 83020

82003

10v 1/2" drive cordless Impact Wrench

- Cordless / Rechargeable 18 volt impact wrench
- 2 Speed 550 rpm / 75 ft-lb and 1,650 r.p.m. / 435 ft-lb
- Convenient "Power to Go"
- Includes battery, charger and case
 - VOLTAGE: 18.0 V D.C.
 - NO-LOAD SPEED/min: 0~1,650 r.p.m.
 - MAX TIGHTENING TORQUE: 435 ft-lb / 6,000kg-cm / 590 N.m
 - IMPACT PER MINUTE: 2,100
 - TOOL WEIGHT: (with battery) 6.83 LBS (Battery 1.58 LBS)
 - TORQUE: 2 Torque sections
 - CAPACITY: (Square Driver) 1/2" (13mm)DR
 - CHARGING TIME: 60-70 minutes Auto Cut-Off

82002

- 1/2" drive air impact Wrench
- Pistol grip design for control and comfort
- Low vibration for reduced fatigue
- Twin hammer mechanism provides max. 450 ft-lbs torque
- Suitable for professional jobs

Recommend Omega Pro Socket set: 83001, 83002, 83003, 83006, 83008, 83009, and 83020



omega <mark>PRO</mark>

Digital tire inflator

- Large illuminated face with LCD digital read out
- Unit covered with rubber sleeve for extra comfort and durability
- 360 Degree air chuck rotation allows easy access for filling or deflating tires
- Provides accurate reading of pressures between 2 – 160 psi.

83016

nini Digital Tire Inflator

OMEGA

D D

- Easy to read LCD digital read out
- Auto shutoff for increased battery life
- Provides accurate reading of pressures between 2 – 160 psi.
- Easy to use handle for filling or deflating of tires





85001

EVA PAD WITH LED LIGHTS

- Made of durable EVA material
- 21 LED lights to illuminate your work area
- Cushions back, knees and feet while you work
- Lightweight and easy to store.

85002

eva Knee Pad

- Made of durable EVA material
- Built in convenient carrying handle
- Cushions knees and feet while you work
- Lightweight and easy to store

0/0° Drive Speedy Action Ratchet

- Triple function 3/8" drive ratchet
- Reversible standard style ratchet, Twist rotator ratchet, and Speedy crank handle all in one
- Speeds fastening and loosening of bolts and fasteners
- Thumb operated re-

83006

verse switch and comfort grip handle



- Standard ½" square drive
- 8" long heavy duty extension
- Revolving knurled aluminum grip

83025


Jo-11-1 Autoloading Screndriver

• Autoloading driver includes 10 common size bits.

- Bits store easily in the handle.
- 3 way gearless ratchetforward, reverse and lock.







PRO

omega <mark>PRO</mark>





83007 1/27 Drive Adjustable T-Handle Speed Wrienshi

- T-handle design provides maximum torque
- Adjustable speed grip with four positions
- Coated handle that provides comfort and control

83024

4 Piece adjustable T-Handle Speed Wrench Set

- T-handle design provides maximum torque
- Adjustable speed grip with four positions
- Rubberized handle that provides comfort and control



80600(black) & 80600R(Red)

Pontable Power Supply & Jump Starter 2000 Man

- 350 Cranking amps and 700 peak amps
- Auto shutoff
- Reverse polarity protection
- Compact 3" x 5.5"
- Includes device charging ports

81100

Poistadle Poiseis Supply & Jump Starter

11000 <mark>MA</mark>H

- 400 Cranking amps and 800 peak amps
- Auto shutoff
- Reverse polarity protection
- Compact design
- Includes device charging ports

I.OMEGALIFT.COM

SFA COMPANIES

10939 N. POMONA AVE., KANSAS CITY, MO 64153 USA

EL. 888-332-6419, 816-891-6390 F Mail - Sal Es@omegal let com

© OCTOBER, 2015 V2.



omega PRO



